

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|--|-------------------|--------------------------------|---------------------|------------------|
| 10/519,858 | 12/29/2004 | Hitoshi Hayashi | 5259-000043/NP | 9302 |
| 27572 | | | EXAMINER | |
| HARNESS, DICKEY & PIERCE, P.L.C. P.O. BOX 828 | | | LU, ZHIYU | |
| BLOOMFIEL | D HILLS, MI 48303 | II 48303 ART UNIT PAPER NUMBER | | |
| | | | 2618 | |
| | | | | |
| | | | MAIL DATE | DELIVERY MODE |
| | | | 10/31/2007 | PAPER |

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

| | Application No. | Applicant(s) | | | | |
|--|---|--------------------|--|--|--|--|
| | 10/519,858 | HAYASHI ET AL. | | | | |
| Office Action Summary | Examiner | Art Unit . | | | | |
| | Zhiyu Lu | 2618 | | | | |
| The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply | | | | | | |
| A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b). | | | | | | |
| Status | | | | | | |
| 1)⊠ Responsive to communication(s) filed on 20 At | ugust 2007. | | | | | |
| , —— | action is non-final. | • | | | | |
| , | | | | | | |
| • | closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213. | | | | | |
| Disposition of Claims | | | | | | |
| 4)⊠ Claim(s) <u>1,2 and 4-10</u> is/are pending in the application. | | | | | | |
| 4a) Of the above claim(s) is/are withdrawn from consideration. | | | | | | |
| 5) Claim(s) is/are allowed. | | | | | | |
| 6) Claim(s) 1,2 and 4-10 is/are rejected. | | | | | | |
| 7) Claim(s) is/are objected to. | Claim(s) is/are objected to. | | | | | |
| 8) Claim(s) are subject to restriction and/o | r election requirement. | | | | | |
| Application Papers | | | | | | |
| 9) The specification is objected to by the Examine | r. | | | | | |
| 10) The drawing(s) filed on is/are: a) acc | epted or b) \square objected to by the | Examiner. | | | | |
| Applicant may not request that any objection to the | | | | | | |
| Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). | | | | | | |
| 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152. | | | | | | |
| Priority under 35 U.S.C. § 119 | | | | | | |
| 12)⊠ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a)⊠ All b)□ Some * c)□ None of: | | | | | | |
| 1. Certified copies of the priority documents have been received. | | | | | | |
| 2. Certified copies of the priority documents have been received in Application No | | | | | | |
| 3. Copies of the certified copies of the priority documents have been received in this National Stage | | | | | | |
| application from the International Bureau (PCT Rule 17.2(a)). | | | | | | |
| * See the attached detailed Office action for a list of the certified copies not received. | | | | | | |
| | • | | | | | |
| Attachment(s) | | | | | | |
| Attachment(s) 1) Notice of References Cited (PTO-892) 4) Interview Summary (PTO-413) | | | | | | |
| 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date | | | | | |
| 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date | 5) Notice of Informal 6) Other: | ratent Application | | | | |

Art Unit: 2618

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 08/20/2007 has been entered.

Response to Arguments

- 2. Applicant's arguments with respect to claims 1-2 have been considered but are moot in view of the new ground(s) of rejection.
- 3. Applicant's arguments filed 07/20/2007 have been fully considered but they are not persuasive.

Regarding rejections on claims 8-9, Applicant ahs argued that Shanks et al.'s reference is

different because the third waveform of Shanks et al. corresponds to "NULL".

However, the Examiner does not agree. There is no limitation in claims on the third waveform

cannot correspond to "NULL". Furthermore, it would have been obvious to one of ordinary skill

in the art to pick the correspondence of a waveform by design preference.

Thus, the rejections are proper and maintained.

Art Unit: 2618

Claim Objections

4. Claim 1 is objected to because of the following informalities:

In claim 1, last line, replace "(n=0, III, m-1)" with --(n=0, ..., m-1)--, to correct typo.

Appropriate correction is required.

Claim Rejections - 35 USC § 112.

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

5. Claim 6 is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

It is indefinite to "... associated with the combination to the third waveform..."

The Examiner takes the interpretation of the third waveform being a combination of the first waveform and the second waveform in examination.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

Art Unit: 2618

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

6. Claims 7 and 10 are rejected under 35 U.S.C. 102(b) as being anticipated by Shanks et al. (US2002/0152044).

Regarding claim 7, Shanks et al. anticipate the limitation of claim 1.

Shanks et al. also anticipate a noncontact RF ID system which uses the communication method according to claim 1, comprising:

a reader (104 of Fig. 1) for transmitting data information that include data and a clock (paragraphs 0392); and

a transponder which receives the data information from the reader comprising an antenna (1010a-b of Fig. 10) for receiving the signal from a reader, a DC power detecting circuit, a signal detecting circuit (paragraphs 0127-0128), an input amplifier (paragraph 0367), a clock generating device (1026 of Fig. 10), a demodulator (1021 of Fig. 10, paragraph 0144), a control logic circuit (1024 of Fig. 10), and a memory (1020 of Fig. 10), wherein

the DC power detecting circuit comprising a power accumulating capacitor that activates the transponder when a signal is received (paragraphs 0127-0128);

the clock generating device that generates an internal clock such that the state transition of the internal clock is generated in synchronism with the timing of the rise of the modulating signal (paragraphs 0391-0393); and

the control logic circuit that operates in synchronism with the state transition of the clock generated by the clock generating device (paragraphs 0391-0393).

Regarding claim 10, Shanks et al. anticipate the limitation of claim 7.

Art Unit: 2618

Shanks et al. anticipate a method of transmitting and receiving modulated data information comprising a first waveform, a second waveform, and a third waveform (Figs. 3-5, paragraphs 0096-0103); and responding to the reader a data after forming the data information in the transponder when necessary (paragraphs 0073-0074), in the noncontact RF ID system as explained in the response to claim 7.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 7. Claims 1-2 and 4-6 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ng (US2003/0011474).

Regarding claim 1, Ng teaches a communication method for a noncontact TF ID system (Fig. 1) comprising:

communicating a data sequence having a first waveform which corresponds to one of codes "0" or "1" and which has a length of time T (Logic '1' of Fig. 8);

communicating a data sequence having a second waveform which corresponds to one of codes "0" or "1" opposite to the first waveform and which has a length of time T (Logic '0' of Fig. 8); and

Art Unit: 2618

communicating a data sequence having a third waveform which corresponds to m (m is a

natural number equal to or greater than 2) codes which are same code as the second waveform

and which has a length of time mT (logic 'SYN' of Fig. 8).

But, Ng does not expressly disclose wherein the first waveform with 50% duty ratio is in a low

level state at a starting point, is in a high level state at an end point and rise only at a position of

T/2, the second waveform with 50% duty ratio is in a high level state at a starting point, is in a

low level state at an end point and falls only at a position of T/2, and the third waveform with

50% duty ratio is in a low level state at a starting point, is in a high level state at an end point and

rises only at a total of m positions of T/2+nT (n=0, ..., m=1).

However, it would have been obvious to one of ordinary skill in the art at the time the invention

was made to modify the waveform of Ng into the waveform as specified in this claim by one's

design preference.

Regarding claim 2, Ng teaches a communication method for a noncontact RF ID system as

explained in response to claim 1 above.

Regarding claim 6, Ng teaches the limitation of claim 1.

Ng teaches communicating steps are carried out by assigning a combination of the code "1" and

the code "0" associated with the combination of the third waveform, which is used in place of the

combination of the first waveform and the second waveform (Fig. 8, the third waveform has the

high level state time (T) and low level state time (T) as the combination of time of the first

Art Unit: 2618

waveform and second waveform, wherein it is interpreted as combination of timing for high level state and low level state without limiting how to combine).

Regarding claim 4, Ng teaches the limitation of claim 1.

Ng does not expressly disclose in the case in which the state transition is rising, the first waveform is a waveform that maintains a low level in a negative time direction for T/2 from the point in time that the waveform first rises, which is a center point of the waveform, and maintains a high level state for T/2 in a positive time direction from this center point;

the second waveform is a waveform that maintains a high level state in the positive time direction for t1 from a point in time that the waveform first rises, which is the center point of the waveform, maintains a low level state for time t2 until an end point of the waveform, maintains a low level state in the negative time direction for time t1 from the center point of the waveform, and maintains a high level state for time t2 until a starting point of the waveform (here, t denotes time, T denotes one cycle of the first and second waveforms, and t1 + t2 = T/2); and

the third waveform is a C(2n) waveform which, in the case in which m=2n, maintains a high level state in the positive time direction for t6 from the point in time that the waveform first rises; maintains a low level state in the negative time direction for t3 from the point in time that the waveform first rises; maintains a high level state for time t4 until the starting point of the waveform; maintains a high level state in the positive time direction for t(2 (n - k) + 6) from the point in time that the waveform rises for the (n + 1 - k)th time; maintains a low level state for t (2 (n - k) + 3) in the negative time direction from the point in time that the waveform rises for the (n + 1 - k)th time; maintains a high level state in the positive time direction for T/2 from the

Art Unit: 2618

point in time that the waveform rises for the nth time; maintains a low level state in the negative time direction for t(2 (n - 1) + 3) from the point in time that the waveform rises for the nth time; maintains a high level state in the positive time direction for t(2 (n - 1) + 3) from the point in time that the waveform rises for the (n + 1)th time; maintains a low level state in the negative time direction for T/2 from the point in time that the waveform rises for the (n + 1)th time; maintains a high level state in the positive time direction for t(2 (n - k) + 3) from the point in time that the waveform rises for the (n + k)th time; maintains a low level state in the negative time direction for t(2 (n - k) + 6) from the point in time that the waveform rises for the (n + k)th time; maintains a low level state in the negative time direction for t6 from the point in time that the waveform rises the last time; maintains a high level state in the positive time direction for t3 from the point in time that the waveform rises the last time; and maintains a low level state for time t4 until an end point of the waveform, where n and k are natural numbers; $n \ge k \ge 1$; t is time; T is one cycle of the first and second waveforms; and $t \ge T/2$; $t \ge T/2$; $t \ge T/2$ ($t \ge T/2$) and

in the case in which m = 2n + 1, the third waveform is a C(2n + 1) waveform that maintains a high level state in the positive time direction for t6 from the point in time that the waveform first rises; maintains a low level state in the negative time direction for t3 from the point in time that the waveform first rises; maintains a high level state for t4 from the starting point of the waveform; maintains a high level state in the positive time direction for C(2(n - k) + 6) from the point in time that the waveform rises for the C(n + 1 - k) th time; maintains a low level state in the negative time direction for C(2(n - k) + 3) from the point in time that the waveform rises for the C(n + 1 - k) th time; maintains a high level state in the positive time direction for C(2(n - k) + 3)

Art Unit: 2618

(n-1)+5) from the point in time that the waveform rises for the (n+1)+ time; maintains a low level state in the negative time direction for t(2(n-1)+5) from the point in time that the waveform rises for the (n+1)th time; maintains a high level state in the positive time direction for t(2(n-k)+3) from the point in time that the waveform rises for the (n+1+k)th time; maintains a low level state in the negative time direction for t(2(n-k)+6) from the point in time that the waveform rises for the (n+1+k)th time; maintains a low level state in the negative time direction for t6 from the point in time that the waveform rises the last time; maintains a high level state in the positive time direction for time t3 from the point in time that the waveform rises the last time; and maintains a low level state for t4 until the end point of the waveform; (where n and k are natural numbers, $n \ge k \ge 1$, t is time, T is one cycle of the first and second waveforms, t3+t4=T/2, and t(2(n-k)+5)+t(2(n-k)+6)=T).

However, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the first waveform, the second waveform, and the third waveform of Ng into as specified in this claim by design preference.

Regarding claim 5, Ng teaches the limitation of claim 1.

Ng does not expressly disclose in the case in which the state transition is a falling state transition, the first waveform is an inverted waveform that maintains a low level in a negative time direction for T/2 from the point in time that the waveform first rises, which is a center point of the waveform, and maintains a high level state for T/2 in the positive time direction from this center point;

Art Unit: 2618

the second waveform is an inverted waveform that maintains a high level state in the positive time direction for t1 from the point in time that the waveform first rises, which is the center point of the waveform, maintains a low level state for time t2 until the end point of the waveform, maintains a low level state in the negative time direction for time t1 from the center point of the waveform, and maintains a high level state for time t2 until the starting point of the waveform (here, t denotes time, T denotes one cycle of the first and second waveforms, and t1 + t2 = T/2); and

the third waveform is an inverted C(2n) waveform which, in the case in which m=2n, maintains a high level state in a positive time direction for t6 from the point in time that the waveform first rises; maintains a low level state in the negative time direction for t3 from the point in time that the waveform first rises; maintains a high level state for time t4 until the starting point of the waveform; maintains a high level state in the positive time direction for t(2) (n-k)+6) from the point in time that the waveform rises for the (n+1-k)th time; maintains a low level state for t(2(n-k)+3) in the negative time direction from the point in time that the waveform rises for the (n + 1 - k)th time; maintains a high level state in the positive time direction for T/2 from the point in time that the waveform rises for the nth time; maintains a low level state in the negative time direction for t(2(n-1)+3) from the point in time that the waveform rises for the nth time; maintains a high level state in the positive time direction for t(2 (n-1)+3) from the point in time that the waveform rises for the (n+1)th time; maintains a low level state in the negative time direction for T/2 from the point in time that the waveform rises for the (n + 1)th time; maintains a high level state in the positive time direction for t(2 (n - k) +3) from the point in time that the waveform rises for the (n + k)th time; maintains a low level

Art Unit: 2618

state in the negative time direction for t(2(n-k)+6) from the point in time that the waveform rises for the (n + k)th time; maintains a low level state in the negative time direction for t6 from the point in time that the waveform rises the last time; maintains a high level state in the positive time direction for t3 from the point in time that the waveform rises the last time; and maintains a low level state for time t4 until the end point of the waveform, where n and k are natural numbers', $n \ge k \ge 1$; t is time; T is one cycle of the first and second waveforms; and t3 + t4 =T/2; t(2(n-k)+5)+t(2(n-k)+6)=T (when n and $k \ge 2$); and in the case in which m=2n+11, the third waveform is an inverted C(2n + 1) waveform that maintains a high level state in the positive time direction for t6 from the point in time that the waveform first rises; maintains a low level state in the negative time direction for t3 from the point in time that the waveform first rises; maintains a high level state for t4 from the starting point of the waveform; maintains a high level state in the positive time direction for t(2 (n - k) + 6) from the point in time that the waveform rises for the (n + 1 - k)th time; maintains a low level state in the negative time direction for t(2(n-k)+3) from the point in time that the waveform rises for the (n+1-k)th time; maintains a high level state in the positive time direction for t(2 (n - 1) + 5) from the point in time that the waveform rises for the (n + 1)th time; maintains a low level state in the negative time direction for t(2(n-1)+5) from the point in time that the waveform rises for the (n+1)1)t.11 time; maintains a high level state in the positive time direction for t(2 (n - k) + 3) from the point in time that the waveform rises for the (n + 1 + k)th time; maintains a low level state in the negative time direction for t(2 (n - k) + 6) from the point in time that the waveform rises for the (n + 1 + k)th time; maintains a low level state in the negative time direction for t6 from the point in time that the waveform rises the last time; maintains a high level state in the positive time

Art Unit: 2618

direction for time t3 from the point in time that the waveform rises the last time; and maintains a low level state for t4 until the end point of the waveform; (where n and k are natural numbers, n >= k >= 1, t is time, T is one cycle of the first and second waveforms, t3 + t4 = T/2, and t(2 (n - 1))(k) + 5 + (2 (n - k) + 6) = T).

However, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the first waveform, the second waveform, and the third waveform of Ng into as specified in this claim by design preference.

8. Claims 8-9 are rejected under 35 U.S.C. 103(a) as being unpatentable over Shanks et al. (US2002/0152044).

Regarding claim 8, Shanks et al. teach the limitation of claim 7.

Shanks et al. teach a transmitter (Figs. 1-2, 10-11) in the noncontact RF ID system that forms and transmits data information comprising a first waveform, a second waveform, and a third waveform, wherein:

the first waveform and the second waveform are formed by a basic waveform that has a state transition that either rises or falls at the approximate center part of the waveform (Figs. 3-4); and

transmission is carried out by using the third waveform in place of the first waveform and the second waveform in the case in which transmission is carried out using the first waveform and the second waveform and in the case in which said one state transition is generated outside the approximate center part of the waveform (Figs. 3-5, paragraphs 0096-0103).

Art Unit: 2618

But, Shanks et al. do not expressly disclose the third waveform is formed by a plurality of basic waveforms that have one state transition at the approximate center part of the waveform and said one state transition is generated only at the approximate center part of the plurality of basic waveforms.

However, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the third waveform of Shanks et al. into formed by a plurality of basic waveforms that have one state transition at the approximate center part of the waveform and said one state transition is generated only at the approximate center part of the plurality of basic waveforms by design preference.

Regarding claim 9, Shanks et al. teach the limitation of claim 7.

Shanks et al. teach a receiver (Figs. 1-2, 10-11) in the noncontact RF ID system that receives data information comprising a first waveform and a second waveform, and a third waveform, wherein:

the first waveform and the second waveform are formed by a basic waveform that has a state transition that either rises or falls at the approximate center part of the waveform (Figs. 3-4); and in the case in which the third waveform is received, the receiver recognizes the reception of a combination of the first waveform and the second waveform in which said one state transition has occurred outside the approximate center of the basic waveform (Figs. 3-5, paragraphs 0096-0103).

But, Shanks et al. do not expressly disclose the third waveform is formed by a plurality of basic waveforms that have one state transition at the approximate center part of the waveform and the

Art Unit: 2618

one state transition is generated only at the approximate center part of the plurality of basic waveforms.

However, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the third waveform of Shanks et al. into formed by a plurality of basic waveforms that have one state transition at the approximate center part of the waveform and the one state transition is generated only at the approximate center part of the plurality of basic waveforms by design preference.

Conclusion

Any inquiry concerning this communication or earlier communications from the 9. examiner should be directed to Zhiyu Lu whose telephone number is (571) 272-2837. The examiner can normally be reached on Weekdays: 9AM-5PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nay Maung can be reached on (571) 272-7882. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2618

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would

like assistance from a USPTO Customer Service Representative or access to the automated

information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Zhiyu Lu

October 18, 2007

SUPERVISORY PATENT EXAMINER